CREATE CONNECT LIVE inspire

The Path to 6G: Performance Targets and Technology Enablers

Dr Alain Mourad 6G Summit, Levi, 17-20 March 2020 **interdigital**

© 2020 InterDigital, Inc. All Rights Reserved.

Outline



• 6G: The Why, What and How?

- Why do we need 6G?
- What performances shall we target?
- How do we get there?

Insights from EMPOWER B5G Roadmap Consultation

- KPIs Evolution
- Technology Trends

Take-aways



6G: The Why, What and How?





© 2020 InterDigital, Inc. All Rights Reserved.

6G: The Why (1/2)

Political view: Far more powerful, faster, and <u>smarter</u>

 Many governments already launched 6G research agendas (e.g. EU, USA, Japan, China, South Korea).

Societal view: Greener, <u>smarter</u> and sustainable

 United Nations (UN) already announced 17 global sustainable development goals towards 2030.





Source: UN in collaboration with Project Everyone



6G: The Why (2/2)

Economical view: Growth through <u>smarter</u> all-digital economy

 Digital transformation agendas including Artificial Intelligence (AI) underpin growth strategies in various sectors of the economy.



Technological view: Innovation continues to always do better and <u>smarter</u>

• This isn't to say that 5G is broken and we need to fix it. This is rather the engineering instinct to create, innovate and continuously advance the state of art.





6G Vision

i>


A Smarter Generation fusing Wireless and AI in support of 2030's Global Societal and Economical Goals

The generation with a sixth sense!




Towards 6G – Use Cases (1/2)

A constant expansion of the USER and VERTICAL use cases towards a **blend of extreme** requirements



Towards 6G – Use Cases (2/2)








Towards 6G – Key Requirements (1/2)

- Spectrum with leap jumps above 100 GHz all the way up to THz
- Bandwidth expansion from 500 MHz today up to 10 GHz
- Peak data rate moving to a few 100s of Gbps
- User data rate scaling up to a few Gbps
- Connections density doubling to 2 devices per sqm

[Source: EMPOWER – <u>www.advancedwireless.eu</u>]






Towards 6G – Key Requirements (2/2)


- Reliability gradually increasing to reach highs of up to 9 nines
- U-plane latency down to a fraction of millisecond
- Energy efficiency (both network and terminal) improving towards 100% gains vs 5G today
- Positioning accuracy to few cms
- Mobility up to 1000 km/h

[Source: EMPOWER – <u>www.advancedwireless.eu</u>]






Towards 6G – Technology Trends






Focus next

Towards 6G – Enabling Technology (1/3)





Towards 6G – Enabling Technology (2/3)



Towards 6G – Enabling Technology (3/3)

Communicationbased positioning accuracy <30 cm Solution Joint sensing and communication including position accuracy <10 cm

Integrated sensing and communication including position accuracy <1 cm

Data Collection from the core, RAN and UE to enable fusion with AI/ML Wireless Fusion with AI/ML limited to Cplane and higher layers in the U-plane Wireless Fusion with AI/ML in every plane and every layer including PHY



Insights from EMPOWER B5G Roadmap Consultation





© 2020 InterDigital, Inc. All Rights Reserved.

H2020 EMPOWER B5G Roadmap Consultation 12

- Public consultation on 5G evolution towards 6G open from 03 Feb. 2020 until 20 Mar. 2020
- Targets gathering the wireless research community feedback towards a B5G roadmap including:
 - KPIs evolution
 - Technology trends
 - Experimental challenges

Have your say, it is still open for more responses! <u>https://www.advancedwireless.eu/index.php/participate-at-the-</u> <u>empower-roadmap-consultation/</u>

Consultation on the baseline 5G evolution technology roadmap from H2020 EMPOWER project

The EMPOWER project launches a consultation to create and update the advanced wireless 5G technology roadmap based on the analysis of trends for Beyond 5G in the respective research, standards, and spectrum communities.

The H2020 <u>EMPOWER project</u> is chartered with technology road mapping on 5G evolution in the timeframe 2020-2030. The technology road mapping is targeted at supporting the wireless research community in Europe, the USA, and globally, with trends and insights pertinent to their research on 5G evolution in the short, medium and long terms. The technology roadmap is also meant to identify the demand regarding the focus of the future advanced test platforms as explored in EMPOWER.

In this context, the EMPOWER project solicits your participation in the first <u>consultation</u> on the initial technology road mapping activities released by the project.

The aim of this consultation is to collect and analyse all inputs and feedback received from the wireless research community in order to enrich the initial roadmap. The results of the forthcoming up-dates and up-grades will be integrated in the Roadmap Version 2.0 that will be circulated in due course to the wireless research community and presented in a future workshop.

More



Demographic of the Respondents so far

- So far, the consultation collected some 60+ views from experts in the Industry and in Academic Research
- Respondents have the choice to either stay anonymous or share their affiliations
- Nearly half of the respondents (34) have chosen to share their names and affiliations
 - A good mixture of Industry(14 respondents) and Academic research (20 respondents)
 - A good geographic distribution from Europe, UK, Norway, USA, Canada, China, Taiwan
- Extrapolating to all respondents, a good mixture of stakeholders (≈ 40% Industry – 60% Academia) and geographic distribution across Europe, North America, and South East Asia



Insights on KPIs Evolution






© 2020 InterDigital, Inc. All Rights Reserved.

Insights – Spectrum


- <u>Spectrum</u> will evolve over the next 10 years to reach THz frequencies?
 - Majority (53%) think we will break the cap of 100 GHz and evolve up to the limit of 500 GHz
 - Going above 500 GHz has a limited support (<20%)
 - A minority (10%) think we will not break the bar of 100 GHz





Insights – User Data Rate


- <u>User data rate</u> will evolve over the next 10 years to reach a few Gbps in downlink and uplink?
 - 98% of responses think the user data rate will range from few 100s Mbps (48%) to a few Gbps (50%)
 - No one think it will stay below 100 Mbps as in 5G today





Insights – Density


- <u>Density</u> will evolve over the next 10 years to reach above 2 million devices per km2 (= 2 devices per sqm)?
 - Majority (56%) think it will reach way above 2 devices per sqm
 - A third (33%) think it will evolve but to less than 2 devices per sqm
 - Almost no one think it will stay below 1 device per sqm (5G target)





Insights – Reliability

- <u>Reliability</u> will evolve over the next 10 years to reach 9 nines?
 - Majority (67%) think reliability will improve up to 8 nines
 - A few (11%) think it might go as high as 9 nines
 - Very few think it will stay below 6 nines (like 5G today)






Insights – Latency

- <u>Latency</u> will evolve over the next 10 years to reach 0.1 ms in U-plane?
 - Majority (62%) think latency will need to go below 0.5 ms
 - A quarter (25%) think it might evolve to less than 0.1 ms
 - Almost no one think it will stay in the 1 ms (5G target)




70.00%



Latency Evolution

Insights – Energy Efficiency


- Energy Efficiency will evolve over the next 10 years and reach 100% improvements compared to today's figures both in the network and in the terminal?
 - Majority (91%) think it will improve compared to 5G with (60%) seeing gains from 30-70% and (31%) seeing gains above 100%
 - Almost no one think it will stay or decrease vs 5G today



Insights – Positioning Accuracy

- Positioning Accuracy will evolve over the next 10 years to reach below 1 cm?
 - Majority (63%) think positioning accuracy will improve to below 10 cm
 - Nearly a quarter (24%) think it will go as low as below 1 cm
 - Almost no one think it will stay below 100 cm (5G target)

25



Positioning Accuracy Evolution



Insights – Target KPIs Refinement

КРІ	5G NR (today)	Target KPI in 6G (2030'ish) from EMPOWER	Reference [DOCOMO's 6G Vision Whitepaper]
Spectrum	52.6 GHz	Up to 500 GHz	Up to 500 GHz
User data rate	100 Mbps	Above 1Gbps	NA (Peak data rate >100 Gps vs. A few 100 Gbps from EMPOWER)
Density	1 device per sqm	Significantly above 2 devices per sqm	10 devices per sqm
Reliability	5 nines	Above 8 nines	Up to 7 nines
U-plane latency	<1 ms	<0.5 ms	<1 ms
Energy efficiency	NA	50%-100% gains vs 5G (Rel.16)	Qualitative: Extreme low power including alternative charging
Positioning accuracy	<1 m	<10 cm	NA



Insights on Technology Trends





© 2020 InterDigital, Inc. All Rights Reserved.

Insights – Massive MIMO

- Massive MIMO will evolve over the next 10 years to include many more antenna elements utilizing AI-based beamforming enabling significantly higher spectrum utilization?
 - Nearly 90% majority see Massive MIMO using some form of Al-based beamforming, with antenna array sizes from a few hundreds (47%) to the thousands (43%)
 - Very few (8%) think it will have limited improvements compared to 5G today

Massive MIMO Evolution Neutral 1.96% Very limited or no MIMO improvements 7.84% Views Simple AI-based MIMO with a few 100s 47.06% elements Mature AI-based MIMO with 1000s elements 43.14%

Percentages




28

Insights – Waveforms

- During the next 10 years, the <u>transmitted waveform</u> will adapt to the propagation scenario and application in real-time with short latencies?
 - Majority (47%) think it will continue to be OFDM-based with evolved numerology
 - Nearly a third (34%) think there will be new agile waveforms
 - No one think that the waveform will not evolve in some sort






Percentages



Insights – Integrated Access and Backhaul 🕻

- During the next 10 years, <u>Integrated Access and Backhaul</u> will be the preferred transmission concept in wireless networks?
 - Majority (64%) think there will be some use of IAB, but it will remain complementary (not dominant)
 - A minority (18%) think IAB will mature and be widely used
 - Very few (3%) think that IAB will not gain momentum






Views

Insights – Power consumption/saving

- Battery-less **low power** devices and sensors will in 10 years be supported together with significant advances in **power saving**?
 - Majority (56%) think ultra-low power devices using energy harvesting will be supported
 - A third (31%) see more disruptive battery-less devices including support for wireless power transfer
 - No one see only limited improvements in power saving



Power Consumption/Saving Evolution






© 2020 InterDigital, Inc. All Rights Reserved.

Insights – Multi-Connectivity

- **Multi-connectivity** across cellular and non-cellular technologies will reach maturity in 10 years and be implemented in networks and devices?
 - Majority (82%) see multi-connectivity widely supported with some level of integration across wireless accesses
 - A third (30%) see fully integrated multiaccess using cognitive schemes
 - No one see multi-connectivity continuing to be limited to within cellular multi-RATs only





32


© 2020 InterDigital, Inc. All Rights Reserved.

Insights – Non-Terrestrial Networks

<u>Non-Terrestrial Networks (NTN)</u>

like low-orbit satellites (LEO) and high-altitude platforms (HAP) will in 10 years be operational and integrated and supported?

- Majority (75%) foresee NTNs integrated with terrestrial networks either partially (44%) or fully (31%)
- Almost no one (2%) think that NTNs will continue to be segregated from terrestrial networks








Insights – Wireless Al fusion

- In 10 years, <u>Wireless Al fusion</u> based on data collection and analytics rom the core, RAN and UE will be pervasive?
 - Majority (83%) see wireless Al fusion happening, with (50%) foreseeing it will be pervasive in every plane and every layer including PHY, whereas (33%) foreseeing it will be limited to Cplane and U-plane higher layers
 - Almost no one (2%) think that Wireless Al fusion will be limited to some data analytics in Core and RAN




© 2020 InterDigital, Inc. All Rights Reserved.

Insights – Sensing and communications

- In 10 years, wireless networks will integrate <u>sensing, imaging and</u> <u>radar</u> to improve tracking, monitoring and positioning?
 - Majority (91%) think sensing will be integrated in the network in some form, limited (48%) or full (43%)
 - Almost no one (2%) think sensing will not be a function or service embedded in the network








Insights – Top 10 technology trends

Views

- 1. Wireless Al fusion (18%)
- 2. Sub-THz technology (14%)
- 3. Ultra-low power (12%)
- 4. Multi-access (10%)
- 5. Flying UEs/Nodes (8%)
- 6. Positioning (7%)
- 7. Holographic MIMO (7%)
- 8. IAB (6%)
- 9. Sensing and Comms (5%)10. Advanced waveforms (5%)



Percentages

Technology Trends by Popularity



Take-aways





© 2020 InterDigital, Inc. All Rights Reserved.

Take-aways

- The journey of **5G evolution** has **already begun** in 3GPP!
- Visions for 6G are being laid out, performance targets and technology trends are emerging
- Consensus emerging on 6G targeting extreme KPIs vs 5G today (e.g. 500 GHz spectrum, 100s of Gbps peak rate, Gbps user rate, 0.5 ms latency, 8 nines reliability, etc.)
- Technology trends are emerging with noticeable popularity to Wireless-Al fusion, Sub-THz, and Ultra-low power
- As ITU-R finalizes its IMT-2020 recommendations this year, it may be timely to kick start ITU-R IMT-2030 planning now with the aim to set a global vision and requirement for 6G by 2023



Key References



1. EMPOWER project, <u>www.advancedwireless.eu</u>

- A. Mourad, R. Yang, P.H. Lehner, and A. De La Oliva, "A Baseline Roadmap for Advanced Wireless Research Beyond 5G", Electronics 2020, February 2020 <u>https://doi.org/10.3390/electronics9020351</u>
- 3. NTT DOCOMO, "5G Evolution and 6G", Whitepaper, January 2020, <u>DOCOMO_6G_White_PaperEN_20200124.pdf</u>



Acknowledgment to our Partners



www.advancedwireless.eu





Thank You – Q&A

Alain MOURAD, PhD

Director Engineering R&D

InterDigital Europe Ltd. 64 Great Eastern Street London, EC2A 3QR United Kingdom

Contact: <u>Alain.Mourad@InterDigital.com</u>



